



## HF transponder, coin

HF transponders

RFID TRANSPONDERS

**SICK**  
Sensor Intelligence.



### Ordering information

Type	part no.
HF transponder, coin	6033173

Other models and accessories → [www.sick.com/HF\\_transponders](http://www.sick.com/HF_transponders)

### Detailed technical data

#### Features

<b>Product segment</b>	RFID transponders, RFID
<b>Product</b>	HF transponders
<b>Scope</b>	Marking of non-metal parts that are exposed to very high temperatures, liquids and chemicals
<b>Specialty</b>	High Temperature
<b>Frequency band</b>	HF (13.56 MHz)
<b>Design</b>	Round
<b>Housing material</b>	PPS
<b>Ambient operating temperature</b>	-25 °C ... +90 °C <sup>1)</sup>
<b>Storage temperature</b>	-40 °C ... +120 °C
<b>Application temperature</b>	+ 130 °C, 50 h, 1 <sup>2)</sup> + 220 °C, 30 s, 1
<b>Housing color</b>	Black
<b>IC type</b>	Texas Instruments Tag-it HF-I
<b>Storage capacity</b>	2048 Bit (64 x 4 Byte) (User Memory)
<b>IC data retention time</b>	< 10 years
<b>Mounting method</b>	Recessed
<b>Diameter</b>	22 mm
<b>Weight</b>	+ 1.6 g
<b>Reading range</b>	
	RFH505 2 cm <sup>3)</sup>
	RFH510 3 cm <sup>3)</sup>
	RFH515 4.5 cm <sup>3)</sup>
	RFH620 6.5 cm <sup>3)</sup>
	RFH630 11.5 cm <sup>3)</sup>

<sup>1)</sup> Max. temperature at which the RFID transponder can interact with the RFID read/write device.

<sup>2)</sup> Max. temperature the RFID transponder can withstand [maximum temperature; duration; cycles]. For optimal performance, the transponders should completely cool off before a new temperature cycle is started.

<sup>3)</sup> Typical value; actual value depends on environmental conditions.



Certificates

China RoHS	✓
------------	---

Classifications

ECLASS 5.0	27280401
ECLASS 5.1.4	27280401
ECLASS 6.0	27280401
ECLASS 6.2	27280401
ECLASS 7.0	27280401
ECLASS 8.0	27280401
ECLASS 8.1	27280402
ECLASS 9.0	27280402
ECLASS 10.0	27280402
ECLASS 11.0	27280402
ECLASS 12.0	27280402
ETIM 5.0	EC002593
ETIM 6.0	EC002998
ETIM 7.0	EC002998
ETIM 8.0	EC002998
UNSPSC 16.0901	52161523



Reading field diagram RFH63x



### Instruction for installation



## Instruction for installation



## SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

**For us, that is “Sensor Intelligence.”**

## WORLDWIDE PRESENCE:

Contacts and other locations –[www.sick.com](http://www.sick.com)