

DOL-1205-G10MY

Industrial Ethernet cables and fieldbus cables

CONNECTORS AND CABLES





Ordering information

Туре	part no.
DOL-1205-G10MY	6053043

Other models and accessories \Rightarrow www.sick.com/Industrial_Ethernet_cables_and_fieldbus_cables

Illustration may differ



Detailed technical data

Technical specifications

Connection type head A		Female connector, M12, 5-pin, straight
Connection type head B		Flying leads
Connection type		Flying leads
Connector material		TPU
Connector color		Black
Locking nut material		Zinc die-cast, nickel-plated
Cable		10 m, 5-wire
Jacket color		Black
Cable diameter		6.7 mm
Conductor cross section		2 x 0,34 mm ² + 2 x 0,25 mm ² + 1 x 0,34 mm ²
Shielding		Shielded
Bending radius		
	Flexible use	> 10 x cable diameter
	Stationary position	> 10 x cable diameter
Reference voltage		
		≤ 60 V
Traversing speed		3 m/s
Travelling distance		4.5 m
Acceleration		≤ 3 m/s²
Signal type		CANopen, DeviceNet™
Note		A-coded
Enclosure rating		IP65/ IP67/ IP69K
Specialty		Flame-resistant, self-extinguishing
Operating temperature		
	Flexible use	-20 °C +70 °C
	Stationary position	-40 °C +80 °C

Certificates


EU declaration of conformity	✓
------------------------------	---

UK declaration of conformity	✓
China RoHS	✓

Classifications

ECLASS 5.0 19030312 ECLASS 5.1.4 19030312 ECLASS 6.0 27060304 ECLASS 6.2 27060304 ECLASS 7.0 27060304 ECLASS 8.0 27060304 ECLASS 8.1 27060304 ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 11.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 6.0 EC000840 ETIM 7.0 EC003249 UNSPSC 16.0901 26121604		
ECLASS 6.0 27060304 ECLASS 6.2 27060304 ECLASS 7.0 27060304 ECLASS 8.0 27060304 ECLASS 8.1 27060304 ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 5.0	19030312
ECLASS 6.2 27060304 ECLASS 7.0 27060304 ECLASS 8.0 27060304 ECLASS 8.1 27060304 ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 5.1.4	19030312
ECLASS 7.0 27060304 ECLASS 8.0 27060304 ECLASS 8.1 27060304 ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 6.0	27060304
ECLASS 8.0 27060304 ECLASS 8.1 27060304 ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 6.2	27060304
ECLASS 8.1 27060304 ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 7.0	27060304
ECLASS 9.0 27060304 ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 8.0	27060304
ECLASS 10.0 27060304 ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 8.1	27060304
ECLASS 11.0 27060304 ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 9.0	27060304
ECLASS 12.0 27060304 ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 10.0	27060304
ETIM 5.0 EC000830 ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 11.0	27060304
ETIM 6.0 EC000830 ETIM 7.0 EC003249 ETIM 8.0 EC003249	ECLASS 12.0	27060304
ETIM 7.0 EC003249 ETIM 8.0 EC003249	ETIM 5.0	EC000830
ETIM 8.0 EC003249	ETIM 6.0	EC000830
	ETIM 7.0	EC003249
UNSPSC 16.0901 26121604	ETIM 8.0	EC003249
	UNSPSC 16.0901	26121604

Dimensional drawing






plug connector M12 x1, straight, screened

Dimensions in mm (inch)

- ① Drain wire
- ② Red
- 3 Black
- 4 White
- ⑤ blue

PIN assignment



- ① Drain wire
- ② Red
- ③ Black
- White
- ⑤ blue

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com

