


DATA SHEET

# UHF Transponder, label, global

UHF transponders  
RFID transponders

## RFID TRANSPONDERS

## UHF Transponder, label, global



## ORDERING INFORMATION

Type	part no.
UHF Transponder, label, global	<a href="#">6087789</a>

Further device versions and accessories at [www.sick.com/UHF\\_transponders](http://www.sick.com/UHF_transponders)

## DETAILED TECHNICAL DATA

## FEATURES

Product segment	RFID transponders, RFID						
Product	UHF transponders						
Scope	Marking of small load carriers (SLC) and universal storage and transport containers						
Frequency band	UHF (860 MHz ... 960 MHz)						
Carrier frequency	865 MHz ... 928 MHz						
Design	Rectangular						
Housing material	PET						
Ambient operating temperature	-40 °C ... +85 °C <sup>1)</sup>						
Storage temperature	-40 °C ... +85 °C						
Housing color	Transparent						
IC type	NXP UCODE 7xm						
Storage capacity	448/2048 Bit (EPC / User Memory)						
IC data retention time	< 20 years						
Mounting method	Self-adhesive						
Dimensions (W x H x L)	97 mm x 0.2 mm x 27 mm						
Weight	1 g						
Reading range	<table border="0"> <tr> <td>RFU61x</td> <td>100 cm <sup>2)</sup></td> </tr> <tr> <td>RFU62x</td> <td>200 cm <sup>2)</sup></td> </tr> <tr> <td>RFU63x/RFU65x</td> <td>600 cm <sup>2)</sup></td> </tr> </table>	RFU61x	100 cm <sup>2)</sup>	RFU62x	200 cm <sup>2)</sup>	RFU63x/RFU65x	600 cm <sup>2)</sup>
RFU61x	100 cm <sup>2)</sup>						
RFU62x	200 cm <sup>2)</sup>						
RFU63x/RFU65x	600 cm <sup>2)</sup>						

<sup>1)</sup> Max. temperature at which the RFID transponder can interact with the RFID read/write device.

<sup>2)</sup> Typical value; actual value depends on environmental conditions.

Further information as well as suitable accessories, example applications and downloads such as CAD dimensional models, operating instructions and software can be found at [www.sick.com/6087789](http://www.sick.com/6087789)



SICK AG  
WALDKIRCH  
GERMANY  
SICK.COM

# SICK AT A GLANCE

SICK is a leading global technology company for intelligent sensors and integrated solutions in industrial automation. Our technologies set benchmarks, making your industrial processes more efficient, safer and more sustainable – both in logistics and manufacturing operations.

SICK combines sensor intelligence with industry expertise and certified consulting services. We provide the ideal foundation for scalable as well as tailor-made automation solutions and create added value along the entire value chain. Our close partnerships with our customers are more than just a promise: Together, we optimize productivity, improve quality, protect health and safety, and help build a sustainable future. All with empathy and trust.

Since 1946, we have been developing innovative technologies with passion and a pioneering spirit. With a global network in around 40 countries, SICK has a global presence and is always close by. The company's headquarters are located in Waldkirch near Freiburg, Germany. Our customers benefit from our understanding of both local and global requirements, which enables us to deliver tailor-made solutions

**SICK**  
Sensor Intelligence